



1 **EC - TYPE EXAMINATION CERTIFICATE**

2 **Equipment or Protective System Intended for use in Potentially Explosive Atmospheres
Directive 94/9/EC**

3 EC - Type Examination Certificate Number: **Baseefa06ATEX0330X**
4 Equipment or Protective System: **Easidew I.S. Dewpoint Transmitter**
5 Manufacturer: **Michell Instruments Limited**
6 Address: **Nuffield Close, Cambridge, CB4 1SS.**

7 This equipment or protective system and any acceptable variation thereto is specified in the schedule to this certificate and the documents therein referred to.

8 Baseefa (2001) Ltd., Notified Body number 1180, in accordance with Article 9 of the Council Directive 94/9/EC of 23 March 1994, certifies that this equipment or protective system has been found to comply with the Essential Health and Safety Requirements relating to the design and construction of equipment and protective systems intended for use in potentially explosive atmospheres given in Annex II to the Directive.

The examination and test results are recorded in confidential Report No. **06(C)0372**

9 Compliance with the Essential Health and Safety Requirements has been assured by compliance with:

EN60079-0:2004 **EN50020:2002**

except in respect of those requirements listed at item 18 of the Schedule.

10 If the sign "X" is placed after the certificate number, it indicates that the equipment or protective system is subject to special conditions for safe use specified in the schedule to this certificate.

11 This EC - TYPE EXAMINATION CERTIFICATE relates only to the design and construction of the specified equipment or protective system. Further requirements of the Directive apply to the manufacturing process and supply of this equipment or protective system. These are not covered by this certificate.

12 The marking of the equipment or protective system shall include the following :

⊕ II 1 G Ex ia IIC T4 (-20°C ≤ T_a ≤ +60°C)

This certificate may only be reproduced in its entirety, without any change, schedule included.

Baseefa Customer Reference No. **4014**

Project File No. **06/0372**

This certificate is granted subject to the general terms and conditions of Baseefa (2001) Ltd. It does not necessarily indicate that the equipment may be used in particular industries or circumstances.

Baseefa

Rockhead Business Park, Staden Lane,
Buxton, Derbyshire SK17 9RZ
Telephone +44 (0) 1298 766600 Fax +44 (0) 1298 766601
e-mail info@baseefa.com web site www.baseefa.com
Baseefa is a trading name of Baseefa (2001) Ltd
Registered in England No. 4305578 at the above address


R.S SINCLAIR
DIRECTOR
On behalf of
Baseefa (2001) Ltd.



13

Schedule

14

Certificate Number Baseefa06ATEX0330X

15 Description of Equipment or Protective System

The Easidew I.S. Dewpoint transmitter is a 4-20mA output loop powered dewpoint sensor.

The apparatus comprises two PCBs housed in a small metal enclosure, a humidity sensor that extends from the metal enclosure and a 4 way plug and socket. The enclosure screws into a pipe or vessel so that the humidity sensor is in the medium to be measured. The 4 way plug and socket contains two 4-20mA loop connections, one RS485/earth connection and one RS485 connection.

The 4-20mA loop connections may be made to terminals 1 & 3 only:

$U_i = 28V$
 $I_i = 93mA$
 $P_i = 651mW$
 $C_i = 37nF$
 $L_i = 0$

16 Report Number

06(C)0372

17 Special Conditions for Safe Use

1 The wiring connections to the free socket must be made via crimped connectors in such a way that all the strands of the wire used are held securely by the crimp.

2 The plastic plug and socket create a potential for electrostatic discharge so must not be rubbed with a dry cloth or cleaned with solvents.

3 The Easidew I.S. Dewpoint Transmitter does not withstand the 500Vac insulation test to frame. This must be taken into account when installing the equipment.

18 Essential Health and Safety Requirements

All relevant Essential Health and Safety Requirements are covered by the standards listed at item 9.

19 Drawings and Documents

Number	Sheet	Issue	Date	Description
Ex90347	1	01	29/01/07	Easidew I.S. 2-Wire Transmitter. ATEX & IECEx Certification Drawing
Ex90347	2	01	29/01/07	Easidew I.S. 2-Wire Transmitter. ATEX & IECEx Certification Drawing
Ex90347	3	01	29/01/07	Easidew I.S. 2-Wire Transmitter. Processor & Connector P.C.B. Track Layouts. ATEX & IECEx Certification Drawing
Ex90347PL	1 & 2	01	09/01/07	Easidew I.S. 2-Wire Transmitter. ATEX Certification

These drawings are common to and held with IECEx BAS 06.0090X.



1 **SUPPLEMENTARY EC - TYPE EXAMINATION CERTIFICATE**

2 **Equipment or Protective System Intended for use in Potentially Explosive Atmospheres
Directive 94/9/EC**

3 Supplementary EC - Type Examination Certificate Number: **Baseefa06ATEX0330X/1**

4 Equipment or Protective System: **Easidew LS. Dewpoint Transmitter**

5 Manufacturer: **Michell Instruments Limited**

6 Address: **Ely, Cambridgeshire, CB6 3NW
(Formerly Nuffield Close, Cambridge, CB4 1SS)**

7 This supplementary certificate extends EC – Type Examination Certificate No. Baseefa06ATEX0330X to apply to equipment or protective systems designed and constructed in accordance with the specification set out in the Schedule of the said certificate but having any variations specified in the Schedule attached to this certificate and the documents therein referred to.

This supplementary certificate shall be held with the original certificate.

This certificate may only be reproduced in its entirety, without any change, schedule included.

Baseefa Customer Reference No. 4014

Project File No. 09/0005

This certificate is granted subject to the general terms and conditions of Baseefa. It does not necessarily indicate that the equipment may be used in particular industries or circumstances.

Baseefa

Rockhead Business Park, Staden Lane,
Buxton, Derbyshire SK17 9RZ
Telephone +44 (0) 1298 766600 Fax +44 (0) 1298 766601
e-mail info@baseefa.com web site www.baseefa.com
Baseefa is a trading name of Baseefa Ltd
Registered in England No. 4305578. Registered address as above.

R S SINCLAIR
DIRECTOR
On behalf of
Baseefa



13

Schedule

14

Certificate Number Baseefa06ATEX0330X/1

15 Description of the variation to the Equipment or Protective System

Variation 1.1

To permit the addition of a variant named the Easidew Pro I.S.

The terminal parameters remain unchanged and are listed in full in the prime of this certificate.

The terminal numbers of the Easidew I.S. Pro are different from those on the existing variant. For clarity the user terminal numbers for both variants are listed below:-

Easidew I.S. Dewpoint Transmitter

- The 4-20mA user terminals are terminals 1 & 3.
- The earth terminal is marked with an earth symbol.

Easidew Pro I.S. Dewpoint Transmitter

- The 4-20mA user terminals are terminals 2 & 4.
- The earth terminal is terminal 3.

16 Report Number

None.

17 Special Conditions for Safe Use

None additional to those listed previously

18 Essential Health and Safety Requirements

Compliance with the Essential Health and Safety Requirements is not affected by this variation.

19 Drawings and Documents

Number	Sheet	Issue	Date	Description
Ex90347	1 to 7	04	16/02/09	Easidew I.S. 2-Wire Transmitter ATEX & IECEx Certification Drawing
Ex90347PRO PL	1 & 2	01	16/02/09	Easidew Pro I.S. 2-Wire Transmitter. ATEX Certification

These drawings are common to, and held with, IECEx BAS06.0090X/1.

Ex90347 sheet 6 is also common to Baseefa T09/0005.



1 **SUPPLEMENTARY EC - TYPE EXAMINATION CERTIFICATE**

2 **Equipment or Protective System Intended for use in Potentially Explosive Atmospheres
Directive 94/9/EC**

3 Supplementary EC - Type Examination Certificate Number: **Baseefa06ATEX0330X/2**

4 Equipment or Protective System: **Easidew I.S. Dewpoint Transmitter**

5 Manufacturer: **Michell Instruments Limited**

6 Address: **Ely, Cambridgeshire, CB6 3NW
(formerly Nuffield Close, Cambridge, CB4 1SS)**

7 This supplementary certificate extends EC – Type Examination Certificate No. Baseefa06ATEX0330X to apply to equipment or protective systems designed and constructed in accordance with the specification set out in the Schedule of the said certificate but having any variations specified in the Schedule attached to this certificate and the documents therein referred to.

This supplementary certificate shall be held with the original certificate.

This certificate may only be reproduced in its entirety, without any change, schedule included.

Baseefa Customer Reference No. 4014

Project File No. 11/0475

This certificate is granted subject to the general terms and conditions of Baseefa. It does not necessarily indicate that the equipment may be used in particular industries or circumstances.

Baseefa

Rockhead Business Park, Staden Lane,
Buxton, Derbyshire SK17 9RZ
Telephone +44 (0) 1298 766600 Fax +44 (0) 1298 766601
e-mail info@baseefa.com web site www.baseefa.com
Baseefa is a trading name of Baseefa Ltd
Registered in England No. 4305578. Registered address as above.

A handwritten signature in blue ink, appearing to read "R S Sinclair".

R S SINCLAIR
DIRECTOR
On behalf of
Baseefa



13

Schedule

14

Certificate Number Baseefa06ATEX0330X/2

15 Description of the variation to the Equipment or Protective System

Variation 2.1

To permit an increase in the upper ambient temperature. The ambient temperature range is now -20°C to +70°C.

16 Report Number

GB/BAS/ExTR11.0177/00

17 Special Conditions for Safe Use

None additional to those listed previously

18 Essential Health and Safety Requirements

Compliance with the Essential Health and Safety Requirements is not affected by this variation.

19 Drawings and Documents

Number	Sheet	Issue	Date	Description
Ex90347	1 to 7	05	29.07.11	Easidew I.S. 2-Wire Transmitter ATEX & IECEx Certification Drawing

This drawing is common to, and held with, IECEx BAS06.0090X/2.